



100% ELECTRIC
NO GAS EMISSION





SUPERCART **ELECTRIC**

Designed to make your life easier but also to help you save money, the Valmetal electric Supercart, the biggest electric feed cart on the market, has been built to be durable, easy to maintain, with a great battery longevity and, of course... 100% green energy!

DISCHARGE CONTROL LEVERS

EASY STEERING SYSTEM - 20% LESS EFFORT REQUIRED.

The easy to use levers and pedals, designed with advanced ergonomics, contribute to the operator's comfort and performance of the cart !

PARKING BRAKES

THE VA MODEL



The trough of the discharge auger features a replaceable polymer liner.



FLAT-PROOF TIRES (FRONT)

Valmetal is the only manufacturer that offers standard flat-proof tires.



RIGHT UNLOADING AUGER

The VA model is equipped with a 12" (30 cm) sturdy discharge auger (right hand discharge only) for a fast and uniform unloading of the ration.

DURABLE

12V sealed maintenance free, deep cycle batteries for many hours of operation.

SIMPLICITY

The electric Supercart is designed for durability and reduced maintenance cost.



INTELLIGENT CHARGER

Less maintenance, faster charging.



THE CC MODEL :



The CC model features a cross conveyor driven by a sturdy reversible gearbox that allows unload on either side of the cart for more flexibility. All mechanical components are underneath the cart to eliminate damage from curbs and doorways.



BATTERIES

The batteries are positioned strategically on the front and rear of the Supercart in order to have an optimal weight distribution.

Shown with guards removed.



E.30 and E.42

E.60

ENGINE

4.8 HP (3,6 Kw) 2100RPM
High-tech engine designed and manufactured in the USA for electric vehicles.

COMPONENTS

The drive wheels are attached directly to the two hydraulic motors. These are driven by a powerful hydrostatic pump, eliminating the need for a differential or a costly transmission maintenance. This technology greatly simplifies the mechanics of this machine.



WHEELS AND TIRES

Different models of flat free tires are available (Valmetal features exclusive six-ply tires as standard equipment). Drive traction wheels can be equipped with either all terrain, anti-flat or tractor tread tires.




The CC model with right/left unloading conveyor

Model	Overall length	Overall width	Overall height	Interior box dimension (Length x Width x Height)	Volume	Batteries	Available models
E.30	90" (230 cm)	34" (86 cm)	60" (150 cm)	62" (157 cm) x 30" (76 cm) x 40" (102 cm)	38 Pi³ / 1,07 m³	3	VA & CC
E.42	96" (245 cm)	38" (97 cm)	64" (160 cm)	68" (173 cm) x 34" (86 cm) x 44" (112 cm)	54 Pi³ / 1,53 m³	3	VA & CC
E.60	108" (275 cm)	46" (117 cm)	64" (160 cm)	80" (203 cm) x 42" (107 cm) x 44" (112 cm)	77 Pi³ / 2,2 m³	4	VA & CC

Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without prior notice. Illustrations may include optional equipment and accessories, and may not include all standard equipment.

YOUR LOCAL DEALER :



230, Boulevard industriel
Saint-Germain-de-Grantham
(Québec) J0C 1K0 Canada
Tel : 819 395-4282
Fax : 819 395-2030



15497 State Hwy 131
Tomah, WI 54660
United States
Tel : (608) 374-2206
Fax : (608) 374-2302

info@valmetal.com - valmetal.com